

With proper care, adolescents with diabetes can lead full and healthy lives



Comments 0



editor 6 November 2008 12659 views

Diabetes has a unique impact on the lives of adolescents and requires constant monitoring of blood sugar levels, medication and balancing the effects of food and activity. With careful management by diabetologists, nutritionists, and psychologists, and with support from parents, these young people can lead full and healthy lives. They can participate in sports and compete for jobs as effectively as those adolescents without diabetes.

The International Diabetes Federation (IDF)'s World Diabetes Day campaign focuses this year on children and adolescents with diabetes. According to IDF, children and adolescents with diabetes face a lifetime of living with a disease that poses particular challenges for them. These struggles include higher insulin insensitivity linked to puberty, rapid behavioural changes, increased risk of depression, anxiety, and low self-esteem and transition to adult services.

According to IDF, globally there are 500,000 children under age 15 with type 1 diabetes. Of these children, more than a quarter live in South East Asia. Type 2 diabetes is increasing in children worldwide, with some as young as age eight. Many of them are from ethnic groups known to be a high risk of type 2 diabetes. Type 2 diabetes is increasing

rapidly in children in both developed and developing countries. The majority of children (85%) with type 2 diabetes are overweight or obese at the time of diagnosis.

Type 2 diabetes in young people severely increases the risks of complications such as heart disease at an earlier. This can have serious consequences on the child's health. IDF recommends that provisions be made to deliver the best possible care, prevent long-term complications, and promote further research in order to reach a better understanding of the condition. Type 2 diabetes in children and adolescents, (as also in adults) is due to a combination of insensitivity to insulin and relative failure of beta-cell secretion. There are a number of genetic and environmental risk factors for insensitivity to insulin and limited beta-cell reserves, including ethnicity, obesity, sedentary lifestyle, family history of type 2 diabetes, puberty, low birth weight, exposure to diabetes in the uterus, and female gender. There is ample evidence that certain ethnic groups have greater susceptibility to diabetes than others. According to IDF, "there are currently over 250 million people with diabetes; with approximately 120 million of them in the developing world. Increased urbanisation, rapid cultural and social changes, unhealthy lifestyles and behavioural patterns mean that 80% of global diabetes cases are predicted to occur in low and middle income countries."

"Diabetes is part of a larger global epidemic of non-communicable diseases. Because these diseases share many risk factors, policies that encourage healthy eating and active living will prevent not only type 2 diabetes, but also obesity, cardiovascular disease (CVD), chronic respiratory illnesses, and diet-related cancers. An integrated system can maximize disease prevention while avoiding the need to develop separate courses of action. Strategies proposed here are prioritized according to their ability to be aligned and integrated into a

comprehensive movement that addresses all non-communicable diseases," said Dr Anoop Misra, Director and Head, Department of Diabetes and Metabolic Diseases, Fortis Hospitals, New Delhi and NOIDA.

He further said that, "Nutrition plays a very important role in the management of diabetes among adolescents and others. Proper nutritional intake of high fibrous diet with lots of fruits and vegetables, wholesome grain/cereal intake, whole pulses, and a low intake of refined cereals, calorie dense foods, saturated fats, oily/ fried / fatty foods needs to be promoted."

"In growing children and adolescents, allowance must be made of adequate calories and balanced nutrition. Along with proper nutrition, it is very important to encourage daily physical activity" said Dr Misra.

There is a need to spread the awareness regarding diabetes and the factors that could make the adolescents at a high risk for the onset of type 2 diabetes. Those children and adolescents who have a parent or sibling living with type 2 diabetes, should take extra care. They need to strictly maintain normal weight, play or do some aerobic exercises at least 30 minutes a day, take plenty of fruits and vegetables, and avoid junk food.

"In both urban and rural areas, diabetes in poor children and adolescents does not get diagnosed in time. There could be several reasons for this like lack of education, no proper care, girl child stigma and poverty," said Dr. Sonia Kakkar, a Delhi based doctor. She further said that "though diabetes action has been initiated, efforts are weak and fragmented. Progress is impeded by a health system that places a higher priority on communicable diseases and maternal and child health services and by a private health system driven by curative medicine.

However, prevention is cost-effective and should be the main focus."

A comprehensive approach that addresses type 2 diabetes risk factors is needed. Harnessing positive aspects of globalization - increased information flow, improved technology, and innovation - via international collaboration is crucial. In India, a country with limited health resources, an approach that draws on many sectors - including the private sector - can ensure successful implementation of the diabetes care programme for adolescents.

Amit Dwivedi

(The author is a Special Correspondent to Citizen News Service (CNS) and can be contacted at: news@citizen-news.org)

editor

Please send your comments to editor@assamtimes.org

BY EDITOR

Witch hunting rerun in Chirang!

Police remand for Nagaon culprit

Candle lighting rally

ULFA condoles demise of SS Khaplang

Beef puts M'laya BJP in the red

ON THIS DAY

Road safety awareness programe held in Kokrajhar

Believers Eastern Church Satgaon Mission Diocese Cleanliness Drive

Why has Egg become Danger for Manipur?

Orthopaedic doctors to conduct media OPD clinic

Believers Eastern Church Satgaon Mission Diocese Organises Swachta Hi Sewa
